



# Natural Disaster Relief Safety Products Brochure

[www.pipusa.com](http://www.pipusa.com)





# EXPECT THE UN

PIP's natural disaster relief PPE features essential head-to-toe safety products designed to protect the brave recovery teams, volunteers and local officials who make relief a reality. As a global leader in hand protection and PPE, PIP® is proud to offer quality safety products to distribution partners across the country to better support the safe and efficient recovery of homes, neighborhoods and communities affected by catastrophic acts of nature.

## ACCOUNT FOR KEY HAZARDS ASSOCIATED WITH RESPONSE ACTIVITIES:



Flood Waters and Hazardous Liquids



Sharp, Pointed and Abrasive Debris



Live Electrical Hazards



Rough and Cluttered Terrain

## PROTECTION DESIGNED TO WEATHER THE AFTERMATH:



HEAD PROTECTION



EYE PROTECTION



RESPIRATORY PROTECTION



HAND PROTECTION



ARM PROTECTION



PROTECTIVE CLOTHING



FOOT PROTECTION



HEAT STRESS



WARNING BEACONS



ELECTRICAL SAFETY

A worker in an orange safety vest and hard hat stands next to a large orange truck, holding a large orange pipe. The word "EXPECTED" is overlaid in white text.

EXPECTED

# Hand and Arm Protection

## Seamless Knit Cut Resistant



ANSI  
**A2**

### 719DGU

- Knit Wrist helps prevent dirt and debris from entering the glove
- Washable, resistant to light liquids, water, and ultraviolet light



ANSI  
**A3**

### 16-VRX380

- Liquid proof, air leak tested - EN374-2
- Antibacterial and antiviral barrier protection per ISO 20743:2013 test method & EN374-5

TOUCHSCREEN COMPATIBLE

## Seamless Knit General Purpose



### 34-315

- Foam Nitrile coatings disperses fluids on contact for an improved grip
- Knit Wrist helps prevent dirt and debris from entering the glove



### 33-VRX180

- Liquid proof, air leak tested - EN374-2
- Antibacterial and antiviral barrier protection per ISO 20743:2013 test method & EN374-5

TOUCHSCREEN COMPATIBLE

## Disposable



LATEX

### 64-346PF

- ISO 5 (Class 100) cleanroom glove with fully textured grip ideal for wet or dry environments



HEAVY-DUTY VINYL

### 64-V77BPF

- Offers heavy-duty protection without sacrificing comfort, fit and flexibility

## High Performance



### 120-5900

- Reinforced synthetic leather palm, TPR back of hand and hi-vis breathable shell combines durable and comfortable protection for heavy-duty applications



### 120-MG1220T

- Silicone coated palm pattern provides excellent grip in wet & oily conditions
- 4-way stretch thumb offers increased flexibility and comfort

TOUCHSCREEN COMPATIBLE

### Gtek® Seamless Knit Cut Resistant Gloves

STYLE NUMBER	ANSI CUT	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES	PROP 65
719DGU	A2	4X42B	Polurethane	Palm & Fingers	Gray	PolyKor®	Gray	13	XXS-3XL	⚠️ C&R
16-VRX380	A3	4X32C	Polurethane	Full Hand	Black	PolyKor®	Black	18	XS-2XL	⚠️ C&R
16-X570	A4	4524D	NeoFoam®	Palm & Fingers	Black	PolyKor®	Gray	13	XS-2XL	-
16-X585	A5	4X42E	NeoFoam®	Palm & Fingers	Black	PolyKor®	Black	13	S-2XL	-

### G-Tek® Seamless Knit General Purpose

STYLE NUMBER	21 CFR	EN388	COATING	COATING COVERAGE	COATING COLOR	LINER	LINER COLOR	GAUGE	SIZES	PROP 65
34-315	No	4543	Nitrile	Palm & Fingers	Black	Polyester	Blue	15	XS-2XL	-
34-500	No	4343BX	Nitrile	Palm & Fingers	Black	Nylon	Blue	13	XXS-2XL	-
33-VRX180	No	3111	Polyurethane	Full Hand	Black	Nylon	Blue	18	XS-2XL	⚠️ C&R
33-B115	No	3121	Polyurethane	Palm & Fingers	Black	Polyester	Black	13	XS-2XL	⚠️ C&R
33-G115	No	3121	Polyurethane	Palm & Fingers	Gray	Polyester	Gray	13	XS-2XL	⚠️ C&R

### Amibi-dex® Non-Latex Synthetic Gloves

STYLE NUMBER	21 CFR	CFIA	GRADE	THICKNESS	COLOR	GRIP PATTERN	POWDER	SIZES	BOX COUNT	PROP 65
64-346PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-XL	100	⚠️ C&R

### Amibi-dex® Vinyl

64-V2000	Yes	No	Industrial	4 mil	White	Smooth	Powdered	S-2XL	100	⚠️ C&R
64-V2000PF	Yes	No	Industrial	4 mil	White	Smooth	Powder-Free	S-2XL	100	⚠️ C&R
64-V3000	Yes	No	Industrial	3 mil	White	Smooth	Powdered	M-XL	100	⚠️ C&R
64-V3000PF	Yes	No	Industrial	3 mil	White	Smooth	Powder-Free	XS,S,L,XL	100	⚠️ C&R

### Amibi-dex® Heavy-Duty Vinyl Gloves

64-435PF	Yes	No	Premium	5 mil	White	Smooth	Powder-Free	S-XL	100	⚠️ C&R
64-V77BPF	Yes	No	Industrial	5 mil	Blue	Smooth	Powder-Free	S-XL	100	⚠️ C&R

### Amibi-dex® Nitrile Single-Use Gloves

67-305	Yes	No	Food	4.5 mil	Blue	Textured	Powder-Free	S-3XL	50	-
63-230PF	Yes	No	Food	3 mil	Blue	Textured	Powder-Free	S-XL	100	-

### High Performance Gloves

STYLE	ANSI CUT	EN388	ANSI 138	GRIP	BACK	CLIFF	COLOR	SIZES
120-5900	-	3111XX	1	PVC Sandy Grip	Spandex	Slip-On with Hook & Loop Closure	Hi-Vis Orange/Black	M-3XL
120-MG1220T	-	4121	-	Silicone	Mesh Fabric	Slip-On with Hook & Loop Closure	Gray/Black	S-2XL
120-MG1240T	-	4121	-	Silicone	Mesh Fabric	Slip-On with Hook & Loop Closure	Orange/Black	S-2XL

# Above-The-Neck PPE



## Head Protection



**JSP® EVO® VISTAshield™ Ascend™**  
280-EVSV-CH

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- Optimal protection against vertical and lateral impacts as well as liquid splash and airborne debris
- ANSI Type I, Class C

*Tested to mandatory EN 12492 shock and penetration requirements*



**Mips**

SEE ACCESSORIES



**PIP® Traverse™**  
280-HP1491RM

- Mips® technology protects against angled impacts that commonly result in traumatic head injuries
- Meets ANSI Z89.1 Type II, Class E protection requirements
- Also available in vented, Class C (280-HP1491RVM)



**Dynamic® Whistler™**  
280-HP241R

- Classic cap styling
- Wheel ratchet size adjustment
- ANSI/CSA Type I, Class E
- Optimal comfort and protection against general top of head impacts



**Dynamic® Kilimanjaro™**  
280-HP641R

- Classic full brim styling
- Wheel ratchet size adjustment
- ANSI/CSA Type I, Class E
- Optimal comfort and protection against top of head impacts



**JSP® HardCap Aerolite™ Bump Cap with 1" Micro Brim**  
282-AEM130

- Lightweight and cool, weighs less than 5 oz.
- HDPE liner provides all-around protection
- Unique size adjuster provides a quick, secure fit
- Optimal protection from light bumps and scrapes

JSP® EVO® VISTAshield™ Ascend™			STANDARDS MET		SHELL MATERIAL	SUSPENSION	SIZE ADJUSTMENT	BRIM	OPTIONS	AVAILABLE COLORS	PROP 65
STYLE NUMBER	CLASS	TYPE	ANSI Z89.1	CSA Z94.1-15							
280-EVSV-CH	Class C (VENTED)	Type I	•		ABS	6-Point Polyester Textile	Wheel Ratchet	Short	Integrated eye protection	White/White, White/Smoke, Black/Smoke/Silver CR2	⚠️ <sup>R</sup>
PIP® Traverse™											
280-HP1491RM	Class E (NON-VENTED)	Type II	•		ABS	N/A	Wheel Ratchet	Short	Full attachments offering	White, Black, Yellow, Orange, Red, Hi-Vis Yellow, Gray, Navy	
280-HP1491RVM	Class C (VENTED)	Type II	•		ABS	N/A	Wheel Ratchet	Short	Full attachments offering	White, Black, Yellow, Orange, Red, Hi-Vis Yellow, Gray, Navy	
Dynamic® Whistler™											
280-HP241R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Standard	-	White, Yellow, Orange, Gray, Red, Hi-Vis Orange, Hi-Vis Yellow	
Dynamic® Kilimanjaro™											
280-HP641R	Class E (NON-VENTED)	Type I	•	•	HDPE	4-Point Nylon	Wheel Ratchet	Full	-	White, Yellow, Orange, Gray, Red, Hi-Vis Orange, Hi-Vis Yellow	

C=⚠️ **WARNING:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

R=⚠️ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

C&R=⚠️ **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Go-To-Work Kits



**Whistler™ GTW Kit**  
289-GTW-HP241

- Kit Includes:
- Type I white cap style hard hat
  - Type R Class 2 hi-vis vest
  - Z87.1+ certified clear safety glasses
  - Seamless knit nitrile coated GP gloves



**Kilimanjaro™ GTW Kit**  
289-GTW-HP641

- Kit Includes:
- Type I white full brim hard hat
  - Type R Class 2 hi-vis vest
  - Z87.1+ certified clear safety glasses
  - Seamless knit nitrile coated GP gloves

# Eye Protection



MEETS ANSI Z87.1+

**MISSION™**  
251-63

Helps provide protection from projectiles, impact and liquid splash while remaining breathable



MEETS ANSI Z87.1+

**ULTRA-LYTE™**  
250-14

The lightest eye protection on the market provides unparalleled comfort and protection from debris



MEETS ANSI Z87.1+

**CEFIRO™**  
250-CE

Seals out dust and fine particulates

Goggles

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	ANSI D3 DROPLET	BASE CURVE	VENTS	FRAME MATERIAL	HEADBAND	PROP 65
<b>Mission™</b>											
251-63-0520	□ Clear	Fogless 3Sixty™	■ Dark Green	-	-	-	6	Indirect ventilation	TPR	Elastic	-

Eyewear

STANDARDS MET

STYLE	LENS	COATING	FRAME	ANSI Z87.1+	CSA Z94.3	BASE CURVE	FIT	BRIDGE	TEMPLE	PROP 65
<b>Ultra-Lyte™</b>										
250-14-0520	□ Clear	Fogless 3Sixty™	□ Clear	-	-	10	Universal	Molded	Spring Fit	⚠️ R
250-14-0521	■ Gray	Fogless 3Sixty™	■ Gray	-	-	10	Universal	Molded	Spring Fit	⚠️ R
<b>Cefiro™</b>										
250-CE-10091	■ Gray	Anti-Scratch / Anti-Fog	■ Black	-	-	8.75	Narrow	Rubber	Bayonet	⚠️ R
250-CE-10092	□ I/O	Anti-Scratch / Anti-Fog	■ Black	-	-	8.75	Narrow	Rubber	Bayonet	⚠️ R

C = ⚠️ WARNING: Cancer - www.P65Warnings.ca.gov R = ⚠️ WARNING: Reproductive Harm - www.P65Warnings.ca.gov C&R = ⚠️ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

# Electrical Safety



**Class 2**  
**14" Bell Cuff Insulating Glove**  
161-2-14

Bell cuff design for convenient use with insulating sleeves



**Glove Powder for Rubber Insulating Gloves**  
148-2200

Squeeze into glove or spread on hands to control perspiration while wearing NOVAX® gloves



**Class 00 Electrical Safety Kit**  
147-SK-00

Insulating gloves, leather protectors and storage bag for convenient electrical safety



**Class 0 Electrical Safety Kit**  
147-SK-0

Insulating gloves, leather protectors and storage bag for convenient electrical safety

# Hearing Protection



**33**  
NRR

## Mega Flare™ Plus 267-HPF910

- Design resists backing out of ear
- Non-irritating smooth outer surface
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



**32**  
NRR

## Mega Bullet™ 267-HPF210

- Regular size fits most ear canals
- Easy roll-down for quick and easy insertion
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort
- Shape conforms to most ear canals for maximum sound attenuation



**30**  
NRR

## SoftStar™ 267-HPF710

- Innovative design in a traditional cylindrical shape
- The smoothest surface or "skin" of any cylindrical shaped ear plug
- PowerSoft™ Foam Technology features a proprietary polyurethane formulation that delivers optimal recovery time, easy insertion and maximum all-day comfort



**23**  
NRR

## V-Series™ Cap Mounted Ear Muffs 263-V1CM

- Extra soft memory foam ear cushions conform to surface and head shape
- Universal adapter with slot for visor carrier
- 360° rotation for standby and resting positions

STYLE NUMBER	NRR	USE	CORDING	MATERIAL	SIZE	SHAPE	COLOR	DETECTABLE	PAIR / PACK
<b>Mega Flare™ Plus</b>									
<b>267-HPF910</b>	33	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Contoured	Red	No	200 / Box
<b>Mega Bullet™</b>									
<b>267-HPF210</b>	32	Single	Uncorded	PowerSoft™ Polyurethane Foam	Standard	Bullet	Orange	No	200 / Box
<b>SoftStar™</b>									
<b>267-HPF710</b>	30	Single	Uncorded	PowerSoft™ Polyurethane Foam	Small	Cylinder	Red	No	200 / Box
STYLE NUMBER	NRR	TYPE	DIELECTRIC	SIZE ADJUSTMENT	COLOR				
<b>Ear Muffs</b>									
<b>263-V1CM</b>	23	Cap Mounted	No	Slide	Black/Green				

# Respiratory and Face Protection



## Dynamic® Standard N95 Disposable Respirators

270-RPD713N95

*NIOSH approved for at least 95% filtration efficiency against non-oil based particulates*

- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens



## Dynamic® Standard N95 Disposable Respirators

270-RPD714N95

*NIOSH approved for at least 95% filtration efficiency against non-oil based particulates*

- Exhalation valve offers more comfort and easier breathing
- Closed-cell nose cushion provides a secure and comfortable seal
- Designed to be comfortable and compatible with safety eyewear and hearing protection
- Curved nose clip follows the contours of the user's nose for a superior seal at the bridge of the nose which helps minimize the fogging of eyewear
- Woven strap ultrasonically welded to the wings of the respirator
- Latex-free without any common allergens



## UT Disposable Face Mask CDTAPOFM-BL

- Pleated style with ear loops
- Bacterial Filter Efficiency (BFE) 99%
- Latex-free and hypoallergenic
- Adjustable nose clip

# Protective Clothing



## Vests



**POCKETS**  
**4**

302-MVGZ4P

ANSI 107  
TYPE/CLASS  
**R2**



**POCKETS**  
**10**  
ID POCKET

302-0505

ANSI 107  
TYPE/CLASS  
**O1**



**POCKETS**  
**9**

302-0500M

ANSI 107  
TYPE/CLASS  
**R2**



**POCKETS**  
**10**

302-0512

ANSI 107  
TYPE/CLASS  
**R2**

## Rainwear



**POCKETS**  
**2**

4148  
Long Rain Coat



**POCKETS**  
**2**

4035  
Jacket & Bib Overalls



**POCKETS**  
**2**

4033  
Jacket, Bib & Hood

ANSI 107  
TYPE/CLASS  
**R3**



**POCKETS**  
**3**

4530  
Jacket, Bib & Hood

ANSI 107  
TYPE/CLASS  
**R3**



**POCKETS**  
**3**

4530SE  
Jacket, Bib & Hood

ANSI 107  
TYPE/CLASS  
**R3**

**FR**

### Hi-Vis Vests

STYLE NUMBER	HI-VIS COLOR	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
301-0500M-BL	Blue	Type O Class 1	Mesh / Solid	Zipper	10	2" Two Tone	S - 5XL
301-0500-BK	Black						
302-0500M-LY	Hi-Vis Yellow	Type R Class 2	Mesh / Solid	Zipper	9	2" Two Tone	S - 5XL
302-0500M-OR	Hi-Vis Orange						
302-MVGZ4PLY	Hi-Vis Yellow	Type R Class 2	Mesh	Zipper	4	2" Silver Sewn-On	S - 5XL
302-MVGZ4POR	Hi-Vis Orange						
302-0512-LY	Hi-Vis Yellow	Type R Class 2	Mesh / Solid	Zipper	10	2" Two Tone	S - 5XL
302-0512-OR	Hi-Vis Orange						

### Rainwear

STYLE NUMBER	COLOR	GARMENT	ANSI 107	FABRIC	CLOSURE	POCKETS	REFLECTIVE	SIZE
4033	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Snap	2	2" silver	S-6XL
4530	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Hook & loop	2	2" Silver Sewn On	S-5XL
4530SE	Hi-Vis Yellow	Jacket, Bib & Hood	Type R Class 3	Polyester / PU	Hook & loop	2	2" Silver FR tape	M-4XL

  

STYLE NUMBER	COLOR	GARMENT	THICKNESS	FABRIC	CLOSURE	POCKETS	SIZE	PROP 65
4035	Yellow	Jacket & Bib Overalls	0.35 mm	PVC / Polyester	Snap	2	S - 8XL	⚠️ C&R
4148	Yellow	Extended Jacket	0.35 mm	PVC	Snap	2	S - 5XL	⚠️ C&R

C = ⚠️ **WARNING:** Cancer - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
R = ⚠️ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
C&R = ⚠️ **WARNING:** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# AR/FR Clothing

# Disposable Clothing



305-2200  
AR/FR Solid Vest



385-FRLS  
Long Sleeve T-Shirt



355-2500AR  
AR/FR Waterproof Jacket



355-2501AR  
AR/FR Waterproof Bib



3506  
Coverall

### AR/FR Clothing

STYLE NUMBER	COLOR	ANSI 107	GARMENT	PPE CATEGORY	ARC RATING	MATERIAL	WEIGHT	POCKETS	STANDARD	CLOSURE	REFLECTIVE	SIZE
305-2200	Hi-Vis Yellow	Type R Class 2	Vest	2	8.9 cal/cm <sup>2</sup>	Westex	6.2 oz/Solid	0	ANSI 107, NFPA 70E, ASTM F1506	Hook and Loop	2" Silver	M - 5XL
385-FRLS-GR	Light Gray	-	Long Sleeve T-Shirt	2	11.8 cal/cm <sup>2</sup>	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL
385-FRLS-NV	Navy	-	Long Sleeve T-Shirt	2	11.8 cal/cm <sup>2</sup>	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL
385-FRLS-OR	Orange	-	Long Sleeve T-Shirt	2	11.8 cal/cm <sup>2</sup>	100% Cotton	6.5oz	1	NFPA 70E, ASTM F1506	Pullover	-	M - 4XL
355-2500AR	Hi-Vis Yellow	Type R Class 3	Jacket	2	14 cal/cm <sup>2</sup>	100% Cotton Jersey with FR Polyurethane	10.3 oz	2	NFPA 70E, ASTM F1819, ASTM F2733	Zipper	2" FR Silver	S-5XL
355-2501FR	Hi-Vis Yellow	Class E	Bibs	2	14 cal/cm <sup>2</sup>	100% Cotton Jersey with FR Polyurethane	10.3 oz	-	NFPA 70E, ASTM F1819, ASTM F2733	Hook and Loop	2" FR Silver	S-5XL
315-1355FR	Hi-Vis Yellow	Type R Class 3	Long Sleeve T-Shirt	2	10.6 cal/cm <sup>2</sup>	100% FR Cotton	6.5 oz	1	NFPA 70E, NFPA 2112-2023, ASTM F1506	Pullover	2" FR Silver	S-5XL

Vests to be worn over ARC rated FR clothing only

### Posiwear® M3™ Disposable Clothing

STYLE NUMBER	GARMENT	CONFIGURATION	CLOSURE	MATERIAL	SEAM TYPE	COLOR	SIZE	PACKAGING
3506	Coverall	Elastic Wrists, Ankles and Hood	Zipper	Standard Weight 206SP SBP Coverall	Serged	White	M-5XL	25 / case

# Foot Protection



16" PVC  
Plain Toe Boots  
380-800

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Engineered to reduce slips and trips



16" PVC  
Steel Toe Boots  
382-810

- Energy-absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Tough outsole for good abrasion resistance
- Engineered to reduce slips and trips



16" PVC Full Safety Steel Toe  
and Midsole Boot  
383-820

- Flexible steel puncture resistant mid-sole reduces risks from sharp objects and meets ASTM F2413 PR
- Energy absorbing tread adds all-day comfort
- Less toe spring allows for more surface contact for improved channeling of water for better traction, slip resistance and comfort
- Engineered to reduce slips and trips



16" Polyblend  
Steel Toe and Shank Boot  
383-890

- Polyblend compound offers superior resistance to fats, oils and chemicals
- Steel shank provides improved support and ladder stability
- Lug outsole multi-tread design provides exceptional comfort and slip resistance especially in wet conditions
- Engineered to reduce slips and trips

STYLE	MATERIAL	COLOR	LENGTH	TOE TYPE	STEEL SHANK	STEEL MIDSOLE	TREAD PATTERN	ASTM F2413 COMPLIANT	CSA COMPLIANT	SIZES
383-820	PVC	Black	16"	Steel	No	Yes	Cleated	Yes	Yes	6-14
382-810	PVC	Black	16"	Steel	No	No	Cleated	Yes	No	6-14
380-800	PVC	Black	16"	Plain	No	No	Cleated	No	No	6-14
383-890	Polyblend	Black / Gray	16"	Steel	Yes	No	Power-Lug	Yes	No	6-14

# Heat Stress



**EZ-COOL® MAX COOLING TOWEL**  
396-EZ900

- Microfiber cooling towel - container with clip included
- Naturally absorbs sweat and provides UV protection



**EZ-COOL® PVA COOLING TOWEL**  
396-602

- Advanced Polyvinyl Alcohol (PVA) material absorbs water and sweat efficiently and remains active for hours



**EZ-COOL® HI-VIS EVAPORATIVE COOLING VEST**  
390-EZ202

- ANSI/ISEA 107 Type R Class 2
- Cools the body 15-20 degrees from the ambient temperature
- Extended cooling lasts up to 5 hours dependent on ambient conditions



**EZ-COOL® PHASE CHANGE COOLING VEST**  
390-PCVKT1

- Very durable and will last multiple seasons with proper care and normal use
- Provides comfortable cooling up to 3 hours



**CLIMA-BAND™**  
393-200 / 395-250FR

- Seamless stretch construction
- Quick-dry, sweat absorbing fabric
- Anti-odor technology
- Resists UV rays
- Blocks wind, sun & dust



**HI-VISIBILITY RANGER HAT**  
350-RANGER-NS

- Hi-visibility ranger style hat with silver reflective tape
- Full brim lightweight hat with mesh crown



**REPLACEMENT COOLING PACKS**  
390-PCVCP1

## Protection In Any Climate

EZ-COOL® Max Cooling Towel						
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE	
396-EZ900-NV	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"	
396-EZ900-LY	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"	
396-EZ900-PK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Pink	12" X 36"	
396-EZ900-GC	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Digital Camo	12" X 36"	
396-EZ900-NV-BULK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Navy	12" X 36"	
396-EZ900-LY-BULK	Evaporative Cooling	30 seconds	Polyester Hollow Fiber Blend / Nylon	Hi-Vis Lime	12" X 36"	
EZ-COOL® PVA Cooling Towel						
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	COLOR	SIZE	
396-602-B	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"	
396-602-L	Evaporative Cooling	30 seconds	PVA Cooling Towel	Hi-Vis Lime	13" x 31"	
396-602-P	Evaporative Cooling	30 seconds	PVA Cooling Towel	Pink	13" x 31"	
396-602-B-BULK	Evaporative Cooling	30 seconds	PVA Cooling Towel	Blue	13" x 31"	

Evaporative Cooling Vest								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	WEIGHT	CLOSURE	COLOR	SIZE
390-EZ202	Evaporative	1-2 Minutes	Polyester / Spandex	HyperKewl™ Plus / Polyester	-	Hook & Loop	Hi-Vis Yellow	S-5XL
Phase Change Cooling Vest								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	WEIGHT	CLOSURE	COLOR	SIZE
390-PCVKT1	Phase Change	45 minutes	Nylon / Polyester	HyperKewl™ Plus Nylon	-	Pullover	Navy with Black	OS
CLIMA-BAND™								
STYLE	COOLING TYPE	OUTER FABRIC	MATERIAL TYPE	CLOSURE	COLOR	SIZE		
393-200-CWB	Absorptive	Nylon / Polyester	-	-	Cowboy Blue	10" x 20"		
393-200-YEL	Absorptive	Nylon / Polyester	-	-	Hi-Vis Yellow	10" x 20"		
395-250FR-B	Absorptive	Meta-Aramid/Lenzing FR	-	-	Black	10" x 20"		
Hi-Visibility Ranger Hat								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC	WEIGHT	CLOSURE	COLOR	SIZE
350-RANGER-NS	Shading	ANSI Compliant Polyester Hi-Vis with Reflective Tape	Mesh / Solid	Drawstring	Hi-Vis Yellow	OS		
Replacement Cooling Packs								
STYLE	COOLING TYPE	ACTIVATION TIME	OUTER FABRIC	INNER FABRIC				
390-PCVCP1	Phase Change Cooling	45 Minutes	PCM	Alkane Blend				



# Warning Beacons

## Eflare® Safety & Emergency Beacons

STYLE NUMBER	BEACON COLOR	LIGHT INTENSITY	OPERATION	BATTERIES	HEIGHT
939-UB290-A	Amber	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-AT290-W	White	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"
939-UB290-R	Red	8 LED	Flash or Steady-On 1-Color	Four "AA" Alkaline	8"

\* Batteries not included





**PROTECTIVE INDUSTRIAL PRODUCTS, INC.**

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com