



# HEAD PROTECTION SOLUTIONS

**QUICK REFERENCE GUIDE**

[www.pipusa.com](http://www.pipusa.com)



Innovative head protection



Trusted head protection




# SECOND TO NONE IN HEAD PROTECTION

## Manufacturing capabilities

### STATE-OF-THE-ART ROBOTIC ASSEMBLY FOR MANUFACTURING PRECISION AND COST EFFECTIVENESS

Dynamic® products are manufactured in our modern facility that has the capacity to produce more than 10,000 hard hats each day.

PIP® is a leading manufacturer of hard hats in North America for a variety of customers.



### Innovation

By partnering with JSP®, a global leader in head protection technology, we deliver the pinnacle of cutting-edge hard hat styles.

- > The Vista® Series features an integrated face shield and eyewear
- > The JSP® Evolution® 6151 and EVO® 6151 Ascend® feature an EXTRA PROTECTION ZONE providing the wearer with approximately 10% more coverage on both the sides and the back of the hard hat when compared to a standard hard hat design.

### Quality

As a leading manufacturer, we engineer excellence from the ground up. Superior raw materials, robotic manufacturing and high-quality standards ensure we exceed industry norms.

- > Dynamic® and PIP® hard hats meet ANSI Z89.1-2014 and/or CSA Z94.1-15 North American standards
- > JSP® hard hats and safety helmets meet globally recognized ANSI and EN standards

### Choice

PIP® offers an extensive line of safety helmets and hard hats that protect workers from falling objects in multiple industries. From heavy-duty mining to residential construction, PIP® has the right hard hat for the job with more than 30 styles to choose from. PIP® is second to none in head protection.

### Type

- > **SAFETY HELMETS** include a chin strap and a foam inner liner which is designed to attenuate impact energy from the top and side.
- > **TRADITIONAL TYPE I HARD HATS** rely on a suspension system to attenuate impact energy from the top
- > **TYPE II HARD HATS** incorporate a foam liner for ANSI rated top and side impact attenuation

## SAFETY HELMETS

# Work At Heights



## CONSTRUCTION, INDUSTRIAL & UTILITIES

WIND ENERGY > SCAFFOLDING > TELECOM > UTILITIES

### PREMIUM ALL-AROUND PROTECTION



#### PIP® Traverse™

**280-HP1491RM**

**280-HP1491RVM** *Vented*

- Super lightweight ABS shell
- MIPS® - Multi-Direction Impact Protection
- Foam lateral impact protection
- ANSI Type II; Class E or C  
*Tested to mandatory EN 12492 shock and penetration requirements*

#### COLORS AVAILABLE



**Mips**

**MULTI-DIRECTIONAL  
IMPACT PROTECTION**

*Accessories can be found in the Traverse™  
Safety Helmet Brochure*



#### JSP® MK8 Evolution®

**Linesman**

**280-AHS240**

**280-AHS240V** *Vented*

- High strength outer shell with chin strap
- Premium lateral impact protection
- ANSI Type II; Class E or C

#### COLORS AVAILABLE



\* Class C color available



## PREMIUM COMFORT + EYE & FACE PROTECTION



### JSP® EVO® VISTA lens™ Ascend™

**280-EVLV-CH** *Vented*

**280-EVLN-CH**

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class G or C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



### JSP® EVO® VISTA shield™ Ascend™

**280-EVSV-CH** *Vented*

**280-EVSN-CH**

- Fully adjustable 4-point chin strap
- Adjustable integrated face protection
- ANSI Type I; Class C
- Meets all Clauses 4.2 of EN12492

COLORS AVAILABLE



# ALL-AROUND PROTECTION



## **Dynamic® Rocky™** **280-HP142R**

- Super lightweight  
ABS/Polycarbonate shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E


### COLORS AVAILABLE



## **Dynamic® Rocky™** **with Mips® Technology** **280-HP142RM**

- Super lightweight ABS/  
Polycarbonate shell
- MIPS® - Multi-Direction  
Impact Protection
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

### COLORS AVAILABLE



# LIGHT, VERSATILE & COMFORTABLE



## JSP® EVO® 6151 Ascend™

**280-EV6151-CH**

**280-EV6151V-CH** *Vented*

- Standard brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

### COLORS AVAILABLE



## JSP® EVO® 6151 Ascend™

**280-EV6151S-CH**

**280-EV6151SV-CH** *Vented*

- Short brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

### COLORS AVAILABLE



## JSP® EVO® 6161 Ascend™

**280-EV6161-CH**

**280-EV6161V-CH** *Vented*

- Full brim shell with 4-point chin strap
- Shock absorbing EPS liner
- ANSI Type I; Class E or C
- Meets all Clauses 4.2 of EN12492

### COLORS AVAILABLE



**⚠ WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)  
*Prop 65 applies to red color only.*

## HARD HATS

# Heavy-Duty



## INDUSTRIAL, CONSTRUCTION & UTILITIES

MINING > TUNNELING > DEMOLITION > UTILITIES > METAL WORK

### PREMIUM ALL-AROUND PROTECTION



COLORS AVAILABLE \*Class C color available



**JSP® MK8  
Evolution®**  
**280-AHS150**  
**280-AHS150V** *Vented*

- High strength outer shell
- Premium lateral impact protection
- ANSI Type II; Class E or C



### WITHSTANDS HEAT



ELEVATED HEAT APPLICATIONS

COLORS AVAILABLE



**Dynamic®  
Wolfjaw™**  
**280-HP1481R**

- Lightweight fiberglass shell
- Radiant heat protection up to 350°F
- Wheel ratchet size adjustment
- ANSI Type I; Class G




### EXTREME PERFORMANCE



ELEVATED HEAT APPLICATIONS

COLORS AVAILABLE



**Dynamic®  
Vesuvio™**  
**280-HP851R**  
**280-HP851SR** *Swing Ratchet*

- Ambient heat protection up to 400°F
- Wheel ratchet size adjustment
- ANSI/CSA Type I; Class E

### PROVEN PERFORMANCE



COLORS AVAILABLE



**Dynamic®  
Wolfjaw™ Carbon**  
**280-HP1471R**

- Lightweight carbon fiber shell
- 8-point suspension system
- Wheel ratchet size adjustment
- ANSI Type I; Class C



## ALL-AROUND PROTECTION



### Dynamic® Mont-Blanc™ 280-HP542R

- Lightweight HDPE shell
- Foam lateral impact protection
- ANSI/CSA Type II; Class E

#### COLORS AVAILABLE



### Dynamic® Kilimanjaro™ 280-HP642R

- Sleek and attractive HDPE shell
- Wheel ratchet size adjustment
- 4-point suspension system
- ANSI/CSA Type II; Class E

#### COLORS AVAILABLE




## PROVEN PERFORMANCE



### Dynamic® Stromboli™ 280-HP842R

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet adjustment
- ANSI/CSA Type II; Class E

#### COLORS AVAILABLE



CAP STYLE  
HARD HATS

# General



CONSTRUCTION  
& INDUSTRIAL

BUILDING CONSTRUCTION > ROADWORK  
EXCAVATION > GENERAL INDUSTRIAL

# NEXT GENERATION HARD HATS



**JSP® EVO® VISTAlens™**  
**280-EVLV**

- Lightweight vented ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class C

COLORS AVAILABLE



**JSP® EVO® VISTAlens™**  
**280-EVLN**

- Lightweight ABS shell
- Adjustable integrated eye protection
- ANSI Type I; Class G

COLORS AVAILABLE



**JSP® EVO® VISTAshield™**  
**280-EVSV**

- Lightweight vented ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class C

COLORS AVAILABLE



**JSP® EVO® VISTAshield™**  
**280-EVSN**

- Lightweight ABS shell
- Adjustable integrated face protection
- ANSI Type I; Class G

COLORS AVAILABLE



## EXTRA PROTECTION COVERAGE



### JSP® Evolution® Deluxe 6151 280-EV6151 280-EV6151V *Vented*

- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE

*\* Class C color available*



⚠ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### JSP® Evolution® Deluxe 6151 Short Brim

280-EV6151S  
280-EV6151SV *Vented*

- 10% extra protection zone - Short brim
- Wheel ratchet size adjustment
- ANSI Type I; Class E or C

COLORS AVAILABLE

*\* Class E color available*



⚠ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## EXTRA PROTECTION ZONE

Approximately 10% extra protection on the sides and the back of the hard hat

## EXTRA PROTECTION COVERAGE IN MINING APPLICATIONS



### JSP® Evolution® Deluxe 6151 Mining Hard Hat 280-EV6151M

- Mining lamp bracket and cable loop
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE



⚠ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### JSP® Evolution® Deluxe 6151 Mining Hard Hat with Reflective Kit

280-EV6151MCR2

- Mining lamp bracket and cable loop
- CR2 reflective kit
- 10% extra protection zone - Standard brim
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE



⚠ **WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## ENGINEERED PERFORMANCE AVAILABLE IN THREE STYLES



### Dynamic® Whistler™

**280-HP241**

**280-HP241RV** *Vented*

- Classic cap styling
- Wheel ratchet or pin lock size adjustment
- ANSI/CSA Type I; Class E or C

#### COLORS AVAILABLE




### Dynamic® Dom™

**280-HP341R**

**280-HP341SR** *Swing Ratchet*

- Smooth dome shape
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I; Class E

#### COLORS AVAILABLE



### Dynamic® Stromboli™

**280-HP841R**

**280-HP841SR** *Swing ratchet*

- ABS/Polycarbonate shell with matte finish
- Wheel ratchet or swing ratchet adjustment
- ANSI/CSA Type I or II; Class E

#### COLORS AVAILABLE



ENHANCED  
STRENGTH  
AND PROTECTION

FULL BRIM  
HARD HATS

# General



## CONSTRUCTION & INDUSTRIAL

> ADDED PROTECTION FROM THE ELEMENTS



### PREMIUM DESIGN



**JSP® Evolution®  
Deluxe 6161**  
**280-EV6161**  
**280-EV6161V** *Vented*

- Popular style for outdoor work
- Wheel ratchet size adjustment
- 6-point suspension system
- ANSI Type I; Class E or C

COLORS AVAILABLE



**⚠️ WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

### ENGINEERED PERFORMANCE



**Dynamic®  
Kilimanjaro™**  
**280-HP641R**  
**280-HP641RV** *Vented*

- Sleek and attractive HDPE shell
- Wheel ratchet or pin-lock size adjustment
- 4-point suspension system
- ANSI/CSA Type I; Class E or C

COLORS AVAILABLE



### PREMIUM DESIGN FOR MINING APPLICATIONS



**JSP® Evolution®  
Deluxe 6161  
Mining Hard Hat**  
**280-EV6161M**

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class C

COLORS AVAILABLE




**⚠️ WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)




**JSP® Evolution®  
Deluxe 6161  
Mining Hard Hat  
with Reflective Kit**  
**280-EV6161MCR2**

- Mining lamp bracket and cable loop
- CR2 reflective kit
- Wheel ratchet size adjustment
- ANSI Type I; Class E

COLORS AVAILABLE



**⚠️ WARNING:** Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)



281-CR2 Cap Style

**CR2 Reflective Kits**

- Upon application the hard hat will have 360° reflective coverage



281-CR2FB Full Brim



250-EVS

**EVOSpec™ Integrated Eyewear**

- Retracts into helmet shell when not in use



281-CL-SET

**Lamp & Goggle Clip Set**

- Contains 2 side clips and 2 rear clips



281-CS-2PT 2-Point



281-CS-4PT 4-Point

**Chin Straps**

- Standard 2-Point and adjustable 4-Point elastic chin straps are compatible with Evolution® 6100 series hard hats and EVO®Vista™ style safety helmets.

*Not compatible with Ascend™ series safety helmets*



281-SSE-CAP Cap Style



281-SSE-FB Full Brim

**Sun Shade Extensions**

- Extends the brim all the way around to help protect the wearer's ears and neck from the sun's rays



251-01-6230-JSP

**Aluminum Face Shield Bracket**

- Compatible with JSP® Evolution® 6151 cap style helmets only



251-01-6225

**Surefit™ Hard Hat Adapter**

- Meets ANSI Z87+ requirements when worn with safety glasses or goggles



251-01-6201 Clear Polycarbonate

**Surefit™ Safety Visor**

- Clear polycarbonate



251-01-6211 Clear Acetate

**Surefit™ Safety Visor**

- Clear acetate



262-AEK010-HV InterGPM™ Cap Mounted NRR 20



262-AEK020-HV InterEM™ Cap Mounted NRR 24

**Hi-Vis Cap Mounted Ear Muffs**

- Twin-point-mounted ear cups for even pressure distribution



262-AEI030-50 NRR 21

**SureFit™ Contour Cap Mounted Ear Muffs**

- Easy to attach and detach from helmet

STYLE NUMBER	DESCRIPTION	PROP 65
281-CR2	Reflective Kits Cap	
281-CR2FB	Reflective Kits Full Brim	
280-EVS	Integrated Eyewear	⚠️ <sup>R</sup>
251-01-6225	Faceshield Bracket- Cap Style Surefit	
251-01-6201	JSP Visor Surefit PC	⚠️ <sup>R</sup>
251-01-6211	JSP Visor Surefit Acetate	⚠️ <sup>R</sup>
251-01-6230-JSP	Faceshield Bracket Aluminum Cap	
262-AEJ030-50	Cap Mount Ear Muff	
262-AEK010-HV	Cap Mount Ear Muff	
262-AEK020-HV	Cap Mount Ear Muff	
281-CS-2PT	Chin Strap 2 pt	
281-CS-4PT	Chin Strap 4 pt	
281-CL-SET	Lamp/Goggle Clip	
281-SSE-CAP	Sunshade Extension Cap	
281-SSE-FB	Sunshade Extension Full Brim	

# DYNAMIC®

## HARD HAT ACCESSORIES



251-EPB101  
Cap Style Face Shield Bracket



251-EPB102  
Full Brim Face Shield Bracket



251-EPB103  
Short Brim Style Face Shield Bracket

### Hard Hat Bracket

- Dielectric HDPE material is non-conductive
- Face shield mounting pattern is compatible with most safety visors
- Designed to be compatible with Dynamic cap-mounted or full brim-mounted ear muffs



280-HPSLH

### Rocky™ Lamp/Goggle Clip

- 4 clips per pack
- Holds the lamp strap in place
- Compatible with Dynamic® Rocky™ and most styles of hard hats



280-HP241C  
2-point, elastic with plastic hooks



280-HP542C  
4-point, elastic with plastic hooks

### Chin Straps

- Made to hold the hard hat on the head of the user
- 10 per pack
- Adjustable



280-HP1X4

### DynaLite™ Reflective Strips

- Available in white, yellow and orange
- 16 strips per pack

COLORS AVAILABLE



SCAN HERE

for 4-point chin strap  
installation instructions

# UNIVERSAL HARD HAT ACCESSORIES



251-01-5271

251-01-5270



251-01-5230

251-01-5225

251-EPB102

## Face Shield Brackets

- Enable the attachment of a safety visor to a hard hat

STYLE NUMBER	COMPATIBLE WITH	HOLE PATTERN	MATERIAL	STANDARDS
<b>251-01-5271</b>	Cap Style	Universal	Aluminum	ANSI Z871-2015
<b>251-01-5270</b>	Full Brim	Universal	Aluminum	ANSI Z871-2015
<b>251-01-5230</b>	Cap Style	Universal	Plastic	ANSI Z871-2015
<b>251-01-5225</b>	Cap Style	Universal	Plastic	ANSI Z871+ CSA Z94.3
<b>251-EPB102</b>	Full Brim	Universal	Plastic, Dielectric	ANSI Z871-2015

## Face Shields

- **PETG** Ideal for general sanding, light dust and debris and liquid splash applications.
- **POLYCARBONATE** Ideal for grinding and high impact applications. Outperforms PETG in a wider range of temperatures.
- **MOLDED POLYCARBONATE** Provides enhanced options and better peripheral vision. Aspherical design allows for more comfortable movement.
- **STEEL WIRE MESH** Product of choice for large flying particle protection. Popular in forestry and lumber applications for scratch proof quality, providing excellent visibility.



STYLE NUMBER	MATERIAL	LENS	THICKNESS	SIZE	BINDING	SHAPE	STANDARDS	PROP 65
<b>251-01-5211</b>	PETG	☐ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87	
<b>251-01-7214</b>	PETG	☐ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87	
<b>251-01-5201</b>	Polycarbonate	☐ Clear	0.040"	8" x 15.5"	None	Flat	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-5210</b>	Polycarbonate with Chin Cup	☐ Clear	0.040"				ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7206</b>	Polycarbonate	☐ Clear	0.060"	8" x 15.5"	None	Flat	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7204</b>	Polycarbonate	☐ Clear	0.040"	8" x 15.5"	Aluminum	Curved	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7301</b>	Molded Polycarbonate	☐ Clear	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7401</b>	Molded Polycarbonate	☐ Clear	0.078"	8" x 15"	None	Aspherical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7311</b>	Molded Polycarbonate	■ Medium Green 23% VLT	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7312</b>	Molded Polycarbonate	■ Dark Green 16% VLT	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7313</b>	Molded Polycarbonate	■ IR Filter 3.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7315</b>	Molded Polycarbonate	■ IR Filter 5.0	0.078"	8" x 15"	None	Cylindrical	ANSI Z87+	⚠️ <sup>R</sup>
<b>251-01-7701</b>	Steel Wire Mesh	----	----	8" x 15.5"	Aluminum	Cylindrical	ANSI Z87	⚠️ <sup>R</sup>

# PIP® TRAVERSE™ SAFETY HELMET CUSTOM ACCESSORY OPTIONS

All Accessories Sold Separately



**251-HP1491P**  
Eye Shield Protector  
*Smoke*

- Protects the eye shield from scratches
- Has a mounting slot on protector to allow headlamp to be worn



**280-HP1491FSUN**  
360 Degree  
Fabric Sunshade



**251-HP1491C**  
*Clear*



**251-HP1491G**  
*Smoke Gray*

- Eye Shield**
- Provides eye protection against hazards
  - Scratch resistant and anti-fog



**251-HP1491PFS**  
Polycarbonate  
Faceshield Set



**280-HP1491KIT**  
Reflective Decal Kit  
*Silver*

- Reflective sticker kit for increased visibility at night
- Only available in silver



**280-HP1491VC**  
Vent Covers

- Made from TPR
- Close vents on top of helmet to protect against rain

### 280-HP1491NS

#### Neck Sunshade

- Provides sun and rain protection for the neck
- Made from hi-vis ripstop material with reflective striping



*Head lamp not included  
and is not sold by PIP®*



### 280-HP1491SUN

#### Sun Brim Extension

- Brim clips onto the front of the helmet for additional protection from the sun or rain
- Easy on/off clips

### 280-HP1491BAGB

#### Basic Storage Bag



- Drawstring bag
- Soft bag to protect against damage during storage and transport

### 280-HP1491BAGD

#### Deluxe Storage Bag



- Zippered storage bag to easily hang and store product to protect from damage during storage and transport
- Identification label on front of bag



### 280-HP1491TAG

#### Name Tag Holder

- Easy to install plastic name tag holder to allow for quick identification of the worker
- Weather resistant

## REPLACEMENT PARTS



### 251-HP1491PF

Polycarbonate

### 251-HP1491MF

Metal Mesh

#### Replacement Faceshields



### 251-HP1491B

#### Replacement Faceshield Bracket

*251-HP1491PCF Replacement Faceshield Quick Connect Attachment Clips available*



### 280-HP1491CS

#### Replacement 4-Point Chinstrap



### 280-HP1491LCR

Red

### 280-HP1491LCG

Dark Gray

#### Replacement Lamp Clips

- Pack of 4
- Universal strap holder for head lamp



### 251-HP1491PC

#### Replacement Eye Shield Protector Connector

- Replacement clips to connect the eye shield to the helmet
- Pack of 2



### 280-HP1491PAD

#### Replacement Pad Kit

- 3-piece replacement padding set
- Crown, front and rear padding

BUMP CAPS

# Prevent Bumps & Scrapes



USE IN WORK SPACES WHERE HARD HATS ARE NOT MANDATED

ASSEMBLY LINE > PACKAGE HANDLING > MAINTENANCE > AVIATION > AUTOMOTIVE




**JSP® HardCap A1+™ Bump Cap**

- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Unique size adjuster provides a quick, secure fit



**Regular Brim - 2.75" 282-ABR170**

COLORS AVAILABLE



**Short Brim - 2" 282-ABS150**

COLORS AVAILABLE



**Micro Brim - 1" 282-ABM130**

COLORS AVAILABLE



**JSP® HardCap Aerolite™ Bump Cap**

- Lightweight and cool, weighs less than 5 oz.
- Sleek low profile baseball cap design
- HDPE liner provides all around protection
- Antimicrobial Polygiene® coated fabric stays odor free



**Short Brim - 2" 282-AES150**

**Micro Brim - 1" 282-AEM130**

**Brimless 282-AEN000**

COLORS AVAILABLE



**Dynamic® Bump Cap 280-HP940**

- Lightweight ventilated HDPE shell
- 4-point pin lock suspension
- Popular in food processing, manufacturing and maintenance

COLORS AVAILABLE



**Dynamic® Grand Slam II 282-HP946**

- Baseball style bump cap
- Vented, lightweight design
- Foam padding

COLORS AVAILABLE



**JSP® HardCap Ranger Bump Cap 282-AFB375**

- Shades the sun's UV rays
- 3" wide full brim

COLORS AVAILABLE



PRODUCT FAMILY	ANSI Z89.1 TYPE I	ANSI Z89.1 TYPE II	CSA Z94.1-15 TYPE I	CSA Z94.1-15 TYPE II	EN14052	EN12492	EN397	CLASSE <i>(for-vented)</i>	CLASS C <i>(vented)</i>	CLASS G	ABS	ABS/POLYCARBONATE	HDPE	FIBERGLASS RESIN	NYLON RESIN	CARBON FIBER	PRE-INSTALLED	DEPTH ADJUSTMENT	HEIGHT ADJUSTMENT	8 POINT SUSPENSION	6 POINT SUSPENSION	4 POINT SUSPENSION	WHEEL RATCHET	SWING WHEEL RATCHET	PIN LOCK	STANDARD BRIM	SHORT BRIM	FULL BRIM	INTEGRATED EYE PROTECTION INCLUDED	EVOSPEC COMPATIBLE		
PRODUCT FAMILY	STANDARDS							SHELL				SUSPENSION						OPTIONS														
<b>SAFETY HELMETS - WORK AT HEIGHTS</b>																																
JSP® EVO® 6151 Ascend™	•					•		•	•			•						•	•	•			•			•					•	
JSP® EVO® 6151 Ascend™	•					•		•	•			•						•	•	•			•			•					•	
JSP® EVO® 6161 Ascend™	•					•		•	•			•						•	•	•			•			•			•		•	
JSP® EVO®VISTAens™ Ascend™	•					•		•	•		•							•	•	•			•			•			•		•	
JSP® EVO®VISTAshield™ Ascend™	•					•		•	•		•							•	•	•			•			•			•		•	
JSP® EVO® Ascend™	•					•		•	•		•							•	•	•			•			•			•		•	
JSP® MK8 Evolution® Linesman		•			•		•	•	•			•						•	•	•			•			•						
Dynamic® Rocky™		•		•				•	•			•						•	•	•			•			•						
Dynamic® Rocky™ - Mips®		•		•				•	•			•						•	•	•			•			•						
PIP® Traverse™		•				•		•	•			•						•	•	•			•			•						
<b>CAP STYLE HARD HATS - HEAVY DUTY</b>																																
JSP® MK8 Evolution® Cap Style		•			•		•	•	•			•						•	•	•			•			•						
Dynamic® Mont-Blanc™		•		•				•	•			•						•	•	•			•			•						
<b>HARD HATS - ELEVATED HEAT AND WELDING</b>																																
Dynamic® Vesuvio™		•						•	•					•				•	•	•			•			•						
Dynamic® Stromboli™		•		•				•	•			•						•	•	•			•			•						
Dynamic® Wolfjaw™		•							•				•					•	•	•			•			•						•
<b>FULL BRIM HARD HATS - HEAVY DUTY</b>																																
Dynamic® Kilimanjaro™		•		•				•	•			•						•	•	•			•			•						•
Dynamic® Wolfjaw™ Carbon		•						•	•						•			•	•	•			•			•						•
<b>CAP STYLE HARD HATS - GENERAL</b>																																
JSP® EVO®VISTAens™	•				•			•	•		•							•	•	•			•			•						•
JSP® EVO®VISTAshield™	•				•			•	•		•							•	•	•			•			•						•
JSP® EVO®VISTAens™	•				•			•	•		•							•	•	•			•			•						•
JSP® EVO®VISTAshield™	•				•			•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6151	•							•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6151	•							•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6151	•							•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6151	•							•	•		•							•	•	•			•			•						•
Dynamic® Whistler™	•	•					•	•	•		•							•	•	•			•		•	•						
Dynamic® Dom™	•	•						•	•		•							•	•	•			•		•	•						
Dynamic® Stromboli™	•	•						•	•		•							•	•	•			•		•	•						
<b>FULL BRIM HARD HATS - GENERAL</b>																																
JSP® Evolution® Deluxe 6161	•							•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6161	•							•	•		•							•	•	•			•			•						•
JSP® Evolution® Deluxe 6161	•							•	•		•							•	•	•			•			•						•
Dynamic® Kilimanjaro™	•	•						•	•		•							•	•	•			•			•						•



**SCAN HERE**  
for hard hat  
color options



# The best logo service

**HIGH QUALITY,  
FAST TURNAROUND &  
A DEDICATED TEAM**

**A SMOOTH PROCESS FROM START TO FINISH**

High-quality logo imprinting can be applied on up to four locations on the hard hat using a single color or multiple colors. Quick turnaround time allows for fast delivery to the customer. Dedicated team for all logo requests to ensure all customer requests are accurately filled.







**PROTECTIVE INDUSTRIAL PRODUCTS, INC.**

518-861-0133 | 800-262-5755

sales@pipusa.com | www.pipusa.com