



Technical Data

Color	Yellow
Sizes Available	22"
Packaging	Bulk Pack
Packed	100/Case
Case Dimensions (in)	20.00 x 17.00 x 12.00
Case Weight (lbs)	15.17
Country of Origin	United States
Liner Material	ATA Fiber Technology, Aramid
Top of Arm	Elastic Cuff
Ply	Single-Ply
Lining	--
Construction	Seamless Knit
Certifications	TAA Compliant
Product Circularity	Recycled via Terracycle Reusable / Launderable

Kut Gard®

Single-Ply ATA® Blended with Aramid Sleeve with Sewn-On Knit Wrist and Thumb Hole

- ATA® Technology blend provides excellent cut protection and outstanding wearer comfort
- Aramid fiber blend is inherently flame resistant, sleeves can withstand heat up to 640° F (337°C) without supporting a flame
- Integrated thumb hole allows protection all the way to the knuckle without sacrificing dexterity
- Good washability can be washed in soap and water or dry cleaned
- Made in the USA

Applications

- Cut Resistance with Light Heat Protection
- Automotive Applications
- Glass Operations
- Light Heat Applications

Performance Data

Cut Level	A4
ANSI Puncture Level	--
ANSI Contact Heat Level	--
ASTM F1358 Vertical Flame Level	--

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-03-25



SKU Information

SKU	COLOR	SIZE	UPC	UPC (INNER)	UPC (CASE)
S-2X1-22H	Yellow	22"	616314623554	10616314623551	20616314623558